


Family Data sheet

HP Officejet Pro X476/X576 color MFP series



X476dn • X476dw • X576dw



HP Officejet Pro X476/X576 color MFP series



HP Officejet Pro X476dn

Print professional-quality color—up to twice the speed¹ and up to half the cost per page of color lasers²—using HP PageWide Technology. Help workgroups thrive with versatile functions and easy manageability.

Top features

Up to twice the speed¹ and up to half the printing cost² of color lasers

- Produce quality prints with Original HP inks, and save up to 50% on printing costs versus color lasers²
- Print at record speeds (up to 70 ppm in General Office Mode)—certified by Guinness World Records as the world's fastest desktop printer³
- New General Office mode delivers high-quality prints at top speeds while saving ink, time, and money
- Print brilliantly at breakthrough speed with the same HP PageWide Technology found in top-end digital presses

Empower workgroups with an easy-to-manage MFP

- Tap and swipe the intuitive 4.3-inch color touchscreen to print, copy, scan, fax, and send digital files⁹
- Proactively manage this device and remotely monitor status with industry-leading tools like HP Web Jetadmin¹²
- Print up to 9,200 pages per cartridge¹¹ and load up to 1,050 sheets at once with the optional paper tray⁴
- Depend on HP for reliable workgroup printing—designed for high volumes up to 4,200 pages per month

Connect and print—at the office or on the go⁶

- Print wirelessly, and share access with PCs, tablets, and mobile devices⁵—even with no network or router⁷
- Print from your smartphone or tablet from virtually anywhere with HP ePrint⁶
- Add this device to your office Ethernet network to share with your workgroup
- Walk up and print right away, using the easy-access USB port. Print from a thumb drive or scan straight to it

Conserve resources without sacrificing performance

- Keep costs in line. This ENERGY STAR[®] qualified device uses up to 50% less energy than color lasers⁸
- Reduce paper use by up to 50% with automatic two-sided printing, and maintain efficiency at breakthrough speeds
- Conserve resources, using up to 50% less cartridge and packaging material by weight compared with color lasers¹³
- Reduce your impact—easily recycle your Original HP ink cartridges for free through HP Planet Partners¹⁰

¹ Comparison based on manufacturers published specifications of fastest available color mode (as of March 2012) and includes color laser MFPs <\$1,000 USD and color laser printers <\$800 USD as of March 2012, based on market share as reported by IDC as of Q1 2012 and HP internal testing of printer in fastest available color mode (sample 4-page category documents tested from ISO 24734). For more information, see hp.com/go/printerspeeds.

² Cost per page (CPP) claim is based on the majority of color laser MFPs <\$1,000 USD and color laser printers <\$800 USD as of March 2012, ISO yield based on continuous printing in default mode based on market share as reported by IDC as of Q1 2012. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on HP 970XL/971XL ink cartridges' estimated street price. For more information, see hp.com/go/learnaboutsupplies. ³ Guinness World Record for fastest time to print 500 sheets by an office color desktop printer, April 2012. Record set on HP X551dw and X576dw models. Details at guinnessworldrecords.com. Record supervised and verified by wirthconsulting.org. Test documents ISO 24734 from sample 4-page category test file printed in fastest available color mode for all products. Competitive set includes laser and inkjet color desktop MFPs <\$1,000 USD and printers <\$800 USD as of March 2012. ⁴ Capacity up to 1,050 sheets with optional 1x500 sheet accessory paper tray not included; please purchase separately. ⁵ Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only. ⁶ Requires an Internet connection to an HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types, and other HP ePrint details, see hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.

⁷ Wireless performance is dependent upon physical environment and distance from access point. ⁸ Compares majority of color laser printers <\$800 USD and color laser MFPs <\$1000 as of August 2012. Energy use based on HP and third-party testing commissioned by HP. Actual cost and energy usage may vary. For details, see hp.com/go/officejet. ⁹ Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements, and requires a firmware upgrade. For details, hp.com/go/eprintcenter. ¹⁰ Program availability varies. Original HP cartridge return and recycling is currently available in more than 47 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle. ¹¹ Page volume based on HP 970XL black ink cartridge.

¹² HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin.

¹³ Compares weight of empty cartridge and packaging materials needed for 15,000 pages using highest-capacity cartridges of major in-class competitors' color laser MFPs <\$1,000 USD and color laser printers <\$800 USD as of October 2012. Tested by Buyers Lab Inc. For details, see hp.com/go/officejet.

HP Officejet Pro X576dw MFP shown



- 1 4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port
- 2 Automatic two-sided printing
- 3 500-sheet input tray (tray 2)
- 4 50-sheet multi-purpose tray (tray 1)
- 5 300-sheet face-down output bin
- 6 On/Off Switch
- 7 Exclusive paper/supplies storage area
- 8 Pigment inks for water and fade resistant output
- 9 50-page double sided automatic document feeder
- 10 Built-in wired Ethernet 10/100BaseTX networking and WiFi 802.11b/g/n for wireless printing
- 11 792 Mhz processor, 768 MB standard memory
- 12 Front USB Port for easy access
- 13 Built-in high-speed USB 2.0 port for connecting third-party devices
- 14 Built-in high-speed USB 2.0 port for printing from computer
- 15 Optional 2nd 500 sheet tray (tray 3)

Series at a glance



X476dn



X476dw



X576dw

Part number	CN460A	CN461A	CN598A
Print speeds¹	Up to 36 ppm A4 (Up to 36 ppm letter)	Up to 36 ppm A4 (Up to 36 ppm letter)	Up to 42 ppm A4 (Up to 42 ppm letter)
Control panel	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port
HP ePrint Capability	Yes	Yes	Yes
External I/O Ports	1 USB 2.0; 2 Host USB; 1 Ethernet; 1 RJ-11 fax	1 USB 2.0; 2 Host USB; 1 Ethernet; 1 WiFi 802.11b/g/n; 1 RJ-11 fax	1 USB 2.0; 2 Host USB; 1 Ethernet; 1 WiFi 802.11b/g/n; 1 RJ-11 fax
Input capacity	500-sheet input tray, 50-sheet multi-purpose tray	500-sheet input tray, 50-sheet multi-purpose tray	500-sheet input tray, 50-sheet multi-purpose tray
Output capacity	300-sheet face-down output bin	300-sheet face-down output bin	300-sheet face-down output bin
Memory	768 MB	768 MB	768 MB
Automatic two-sided printing	Yes	Yes	Yes
HP Auto Wireless Connect	No	Yes	Yes
ENERGY STAR® qualified	Yes	Yes	Yes

¹After first set of ISO test pages. For more information, see hp.com/go/printerclaims

HP Services

Standard warranty: One year, phone and web support. Advanced exchange for product repair. Phone support provided by HP's commercial support organization.

HP Care Pack: Extend and expand the warranty on your HP Officejet Pro X476/X576 color MFP series with industry leading HP Care Pack service offerings. A variety of 1 year and 3 year options are available, including:

- Next Business Day On-site assisted exchange
- Next Business Day Exchange (unassisted)

Select the HP Care Pack to best meet your needs at hp.com/go/cpc.

Product at a glance

Printers

HP Officejet Pro X476dn MFP	CN460A
HP Officejet Pro X476dw MFP	CN461A
HP Officejet Pro X576dw MFP	CN598A

Ink cartridges

HP 970 Black Ink Cartridge	CN621A
HP 971 Cyan Ink Cartridge	CN622A
HP 971 Magenta Ink Cartridge	CN623A
HP 971 Yellow Ink Cartridge	CN624A
HP 970XL Black Ink Cartridge	CN625A
HP 971XL Cyan Ink Cartridge	CN626A
HP 971XL Magenta Ink Cartridge	CN627A
HP 971XL Yellow Ink Cartridge	CN628A

Accessories

HP Officejet Pro X Series 500-sheet Paper Tray	CN595A
--	--------

HP Care Packs

HP 3-year Next Business Day Exchange Officejet Pro X476/X576 SVC	U6Z43A/E
HP 3-year Next Business Day Onsite Exchange Officejet Pro X476/X576 SVC	U6Z44A/E
HP 3-year Return Officejet Pro X476/X576 SVC	U6Z45A/E
HP 3-year Std Exchange Officejet Pro X476/X576 SVC	U6Z46A/E
HP 1-year Post Warranty Next Business Day Onsite Exchange Officejet Pro X476/X576 SVC	U6Z47PA/PE
HP 1-year Post Warranty Return Officejet Pro X476/X576 SVC	U6Z48PA/PE
HP 1-year Post Warranty Std Exchange Officejet Pro X476/X576 SVC	U6Z49PA/PE
HP 1-year Post Warranty Next Business Day Exchange Officejet Pro X476/X576 SVC	U6Z50PA/PE

Connectivity (printing only)

HP Jetdirect en1700 External Print Server	J7988G
HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 Peripherals	J7942G
HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g)	J7951G
HP Jetdirect ew2500 802.11b/g Wireless Print Server	J8021A
Other supported accessories:	
Apple AirPort Express	
Apple AirPort Extreme	
Apple Airport TimeCapsule	

Paper

hp.com/go/paper

Software

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

Technical specifications

	HP Officejet Pro X476dn MFP (CN460A)	HP Officejet Pro X476dw MFP (CN461A)	HP Officejet Pro X576dw MFP (CN598A)
AiO Functions	Print, copy, scan, digital send, fax, easy access USB drive, web; AiO multitasking Supported: Yes	Print, copy, scan, digital send, fax, easy access USB drive, web; AiO multitasking Supported: Yes	Print, copy, scan, digital send, fax, easy access USB drive, web; AiO multitasking Supported: Yes
Print			
Duplex Print Options	Automatic (standard)	Automatic (standard)	Automatic (standard)
Print Speed ¹	ISO Speed: Up to 36 ppm black, Up to 36 ppm color; Maximum Print Speed: Up to 55 ppm black, Up to 55 ppm color	ISO Speed: Up to 36 ppm black, Up to 36 ppm color; Maximum Print Speed: Up to 55 ppm black, Up to 55 ppm color	ISO Speed: Up to 42 ppm black, Up to 42 ppm color; Maximum Print Speed: Up to 70 ppm black, Up to 70 ppm color
First Page Out	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 9.5 sec	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 9.5 sec	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 9.5 sec
Print Resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)
Mobile Printing Capability	HP ePrint, ⁹ HP ePrint Mobile Apps, Google Cloud Print, ¹⁰ Apple AirPrint ^{TM11}	HP ePrint, ⁹ HP ePrint Mobile Apps, Google Cloud Print, ¹⁰ HP ePrint Wireless Direct, Apple AirPrint ^{TM11}	HP ePrint, ⁹ HP ePrint Mobile Apps, Google Cloud Print, ¹⁰ HP ePrint Wireless Direct, Apple AirPrint ^{TM11}
Scan			
Scan Type/Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)
Scan Speed ²	ADF: Up to 20 ppm (300 ppi, b&w), up to 15 ppm (300 ppi, color)	ADF: Up to 20 ppm (300 ppi, b&w), up to 15 ppm (300 ppi, color)	ADF: Up to 20 ppm (300 ppi, b&w), up to 15 ppm (300 ppi, color)
Scan Resolution	Enhanced: Up to 1200 dpi; Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi	Enhanced: Up to 1200 dpi; Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi	Enhanced: Up to 1200 dpi; Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi
Scan Size Maximum	ADF, Imperial/Flatbed, imperial: 8.5 x 14 in (216 x 356 mm)	ADF, Imperial/Flatbed, imperial: 8.5 x 14 in (216 x 356 mm)	ADF, Imperial/Flatbed, imperial: 8.5 x 14 in (216 x 356 mm)
Bit Depth/Grayscale Levels	Bit Depth: 24-bit (color); 8-bit (gray); Grayscale: 256	Bit Depth: 24-bit (color); 8-bit (gray); Grayscale: 256	Bit Depth: 24-bit (color); 8-bit (gray); Grayscale: 256
Copy			
Copy Speed ³	ISO Speeds: Up to 36 cpm black; Up to 36 cpm color; Maximum, A4: Up to 55 cpm black; Up to 55 cpm color	ISO Speeds: Up to 36 cpm black; Up to 36 cpm color; Maximum, A4: Up to 55 cpm black; Up to 55 cpm color	ISO Speeds: Up to 42 cpm black; Up to 42 cpm color; Maximum, A4: Up to 70 cpm black; Up to 70 cpm color
Copy Resolution	Black (text and Graphics): Up to 600 dpi; Color (text and graphics): Up to 600 dpi	Black (text and Graphics): Up to 600 dpi; Color (text and graphics): Up to 600 dpi	Black (text and Graphics): Up to 600 dpi; Color (text and graphics): Up to 600 dpi
Max No of Copies	Up to 99 copies	Up to 99 copies	Up to 99 copies
Copier Resize	25 to 400%	25 to 400%	25 to 400%
Fax			
Fax Speed	Up to: 33.6 kbps	Up to: 33.6 kbps	Up to: 33.6 kbps
Fax Resolution	Black(best): 300 x 300 dpi; Black(standard): 203 x 98 dpi; Black and White(fine): 203 x 196 dpi; Black Photo Grayscale: 203 x 196 dpi (8-bit grayscale); Color (fine): 200 x 200 dpi	Black(best): 300 x 300 dpi; Black(standard): 203 x 98 dpi; Black and White(fine): 203 x 196 dpi; Black Photo Grayscale: 203 x 196 dpi (8-bit grayscale); Color (fine): 200 x 200 dpi	Black(best): 300 x 300 dpi; Black(standard): 203 x 98 dpi; Black and White(fine): 203 x 196 dpi; Black Photo Grayscale: 203 x 196 dpi (8-bit grayscale); Color (fine): 200 x 200 dpi

	HP Officejet Pro X476dn MFP (CN460A)	HP Officejet Pro X476dw MFP (CN461A)	HP Officejet Pro X576dw MFP (CN598A)
Fax Features	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Polling Supported: Yes; Junk Barrier Supported: Yes, requires Caller ID; Maximum Speed Dialing Numbers: Up to 99 numbers; PC Interface Supported: Yes, HP Software support provided; Telephone Handset Supported: No	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Polling Supported: Yes; Junk Barrier Supported: Yes, requires Caller ID; Maximum Speed Dialing Numbers: Up to 99 numbers; PC Interface Supported: Yes, HP Software support provided; Telephone Handset Supported: No	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Polling Supported: Yes; Fax Polling Supported: Yes; Junk Barrier Supported: Yes, requires Caller ID; Maximum Speed Dialing Numbers: Up to 99 numbers; PC Interface Supported: Yes, HP Software support provided; Telephone Handset Supported: No
Connectivity			
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point
Network Capabilities	Standard (built-in Ethernet)	Standard (built-in Ethernet and WiFi 802.11b/g/n)	Standard (built-in Ethernet and WiFi 802.11b/g/n)
Wireless Capability	No	Yes	Yes
Network Protocols	Supported Network Protocols configurations IPP, (IPv4, IPv6); ARP (Legacy Default IP); BOOTP; SMTP client; LLNMR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR(SLP)/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features	Supported Network Protocols configurations IPP, (IPv4, IPv6); ARP (Legacy Default IP); BOOTP; SMTP client; LLNMR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR(SLP)/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP)	Supported Network Protocols configurations IPP, (IPv4, IPv6); ARP (Legacy Default IP); BOOTP; SMTP client; LLNMR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR(SLP)/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP)
Security	Management security: SSL/TLS (HTTPS); IPP over TLS; Device firewall configuration; Control panel lock; Password protect EWS; Enable/disable network ports & device features; Syslog; Certificate support; Signed firmware; Administrator settings	Management security: SSL/TLS (HTTPS), IPP over TLS; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Device firewall configuration; Control panel lock; Password protect EWS; Enable/disable network ports & device features; Syslog; Certificate support; Signed firmware; Administrator settings	Management security: SSL/TLS (HTTPS), IPP over TLS; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Device firewall configuration; Control panel lock; Password protect EWS; Enable/disable network ports & device features; Syslog; Certificate support; Signed firmware; Administrator settings
Memory	768 MB	768 MB	768 MB
Processor Speed	792 Mhz	792 Mhz	792 Mhz
Duty Cycle (monthly)⁴	Up to 50,000 pages; Recommended Monthly Page Volume:⁵ 500 to 2,800 pages	Up to 50,000 pages; Recommended Monthly Page Volume:⁵ 500 to 2,800 pages	Up to 75,000 pages; Recommended Monthly Page Volume:⁵ 1,000 to 4,200 pages
Paper Handling			
Input	500-sheet input tray, 50-sheet multi-purpose tray, Optional 500 sheet tray	500-sheet input tray, 50-sheet multi-purpose tray, Optional 500 sheet tray	500-sheet input tray, 50-sheet multi-purpose tray, Optional 500 sheet tray
Output	300-sheet face-down output bin	300-sheet face-down output bin	300-sheet face-down output bin

	HP Officejet Pro X476dn MFP (CN460A)	HP Officejet Pro X476dw MFP (CN461A)	HP Officejet Pro X576dw MFP (CN598A)
Media Type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), HP Advanced Photo papers (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, HP Brochure Glossy, HP Premium Presentation Matte, HP Brochure Matte, and other HP inkjet specialty paper (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), HP Advanced Photo papers (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, HP Brochure Glossy, HP Premium Presentation Matte, HP Brochure Matte, and other HP inkjet specialty paper (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), HP Advanced Photo papers (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, HP Brochure Glossy, HP Premium Presentation Matte, HP Brochure Matte, and other HP inkjet specialty paper (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Media Sizes	Tray 1: Letter, A4, A5, A6, legal, oficio, statement, executive, B5 (JIS), B6 (JIS), 16K, 8.5x13, 10 x 15 cm, L, Hagaki, Ofuku Hagaki, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (B5, C5, C6, DL, Chou #3, Chou #4, No. 10, Monarch); Tray 2: Letter, A4, A5, statement, executive, B5 (JIS), 16K, envelopes (B5; C5; DL, Chou #3, No. 10); Tray 3: Letter, A4, A5, legal, oficio, statement, executive, B5 (JIS), 16K, 8.5x13	Tray 1: Letter, A4, A5, A6, legal, oficio, statement, executive, B5 (JIS), B6 (JIS), 16K, 8.5x13, 10 x 15 cm, L, Hagaki, Ofuku Hagaki, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (B5, C5, C6, DL, Chou #3, Chou #4, No. 10, Monarch); Tray 2: Letter, A4, A5, statement, executive, B5 (JIS), 16K, envelopes (B5; C5; DL, Chou #3, No. 10); Tray 3: Letter, A4, A5, legal, oficio, statement, executive, B5 (JIS), 16K, 8.5x13	Tray 1: Letter, A4, A5, A6, legal, oficio, statement, executive, B5 (JIS), B6 (JIS), 16K, 8.5x13, 10 x 15 cm, L, Hagaki, Ofuku Hagaki, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (B5, C5, C6, DL, Chou #3, Chou #4, No. 10, Monarch); Tray 2: Letter, A4, A5, statement, executive, B5 (JIS), 16K, envelopes (B5; C5; DL, Chou #3, No. 10); Tray 3: Letter, A4, A5, legal, oficio, statement, executive, B5 (JIS), 16K, 8.5x13
Media Weight	Tray 1: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 80 lb (125 to 300 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 2: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 3: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; ADF: 16 to 24 lb (60 to 90 g/m ²) plain paper	Tray 1: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 80 lb (125 to 300 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 2: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 3: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; ADF: 16 to 24 lb (60 to 90 g/m ²) plain paper	Tray 1: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 80 lb (125 to 300 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 2: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 20 to 24 lb (75 to 90 g/m ²) envelope; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; Tray 3: 16 to 32 lb (60 to 120 g/m ²) plain paper; 33 to 66 lb (125 to 250 g/m ²) photo; 32 to 48 lb (120 to 180 g/m ²) brochure; 90 to 110 lb (163 to 200 g/m ²) card; ADF: 16 to 24 lb (60 to 90 g/m ²) plain paper
ADF Capacity	Standard, 50 sheets	Standard, 50 sheets	Standard, 50 sheets
Dimensions	W x D x H: 20.3 x 15.7 x 20.3 in (517 x 399 x 517 mm); Max: 26.7 x 26.4 x 20.3 in (678 x 670 x 517 mm) with MP tray down, main tray extended, output tray extension in legal position	W x D x H: 20.3 x 15.7 x 20.3 in (517 x 399 x 517 mm); Max: 26.7 x 26.4 x 20.3 in (678 x 670 x 517 mm) with MP tray down, main tray extended, output tray extension in legal position	W x D x H: 20.3 x 15.7 x 20.3 in (517 x 399 x 517 mm); Max: 26.7 x 26.4 x 20.3 in (678 x 670 x 517 mm) with MP tray down, main tray extended, output tray extension in legal position
Weight	53.6 lbs (24.3 kg)	53.6 lbs (24.3 kg)	53.6 lbs (24.3 kg)
What's in the Box⁶	HP Officejet Pro X-Series startup ink cartridges, 1 Black, 1 each Magenta, Cyan, Yellow; software and documentation on CD-ROM; Installation guide, support poster; paper sample pack	HP Officejet Pro X-Series startup ink cartridges, 1 Black, 1 each Magenta, Cyan, Yellow; software and documentation on CD-ROM; Installation guide, support poster; paper sample pack	HP Officejet Pro X-Series startup ink cartridges, 1 Black, 1 each Magenta, Cyan, Yellow; software and documentation on CD-ROM; Installation guide, support poster; paper sample pack
Warranty Features	One-year, exchange warranty, service and support; one-year technical phone support, chat, and e-mail	One-year, exchange warranty, service and support; one-year technical phone support, chat, and e-mail	One-year, exchange warranty, service and support; one-year technical phone support, chat, and e-mail
Control Panel			
Control Panel	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port	4.3-in Magic Frame color touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port
Display	4.3" CGD (color graphics), touchscreen	4.3" CGD (color graphics), touchscreen	4.3" CGD (color graphics), touchscreen

	HP Officejet Pro X476dn MFP (CN460A)	HP Officejet Pro X476dw MFP (CN461A)	HP Officejet Pro X576dw MFP (CN598A)
Minimum System Requirements	<p>PC: Microsoft® Windows® 7, Windows® 8: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows XP (SP3) or higher (32-bit only): any Intel® Pentium® II, Celeron® or compatible processor, 233 MHz or higher, 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6 or higher; Linux: For more information, see hplip.net; SAP: For more information see hp.com/go/sap/drivers;</p> <p>Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; CD-ROM/DVD-ROM drive or Internet connection; USB port</p>	<p>PC: Microsoft® Windows® 7, Windows® 8: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows XP (SP3) or higher (32-bit only): any Intel® Pentium® II, Celeron® or compatible processor, 233 MHz or higher, 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6 or higher; Linux: For more information, see hplip.net; SAP: For more information see hp.com/go/sap/drivers;</p> <p>Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; CD-ROM/DVD-ROM drive or Internet connection; USB port</p>	<p>PC: Microsoft® Windows® 7, Windows® 8: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows XP (SP3) or higher (32-bit only): any Intel® Pentium® II, Celeron® or compatible processor, 233 MHz or higher, 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6 or higher; Linux: For more information, see hplip.net; SAP: For more information see hp.com/go/sap/drivers;</p> <p>Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; CD-ROM/DVD-ROM drive or Internet connection; USB port</p>
Software Included	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR
Environmental ranges	<p>Recommended Operating Temperature: 59 to 86°F (15 to 30°C); Non-Operating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Operating Altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (imperial): 15,000 ft</p>	<p>Recommended Operating Temperature: 59 to 86°F (15 to 30°C); Non-Operating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Operating Altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (imperial): 15,000 ft</p>	<p>Recommended Operating Temperature: 59 to 86°F (15 to 30°C); Non-Operating Humidity Range: 5 to 90% RH; Operating Humidity Range: 20 to 80% RH; Operating Altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (imperial): 15,000 ft</p>
Acoustic	Acoustic Power Emissions: ⁷ 6.8 B(A)	Acoustic Power Emissions: ⁷ 6.8 B(A)	Acoustic Power Emissions: ⁷ 6.8 B(A)
Power	<p>Power Supply Type: Internal (Built-in) Universal Power Supply; Power Supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power Consumption:⁸ 100 Watts peak, 70W average (printing, max), 9.5W (idle), 4.5W (Sleep1), 0.95W (Sleep2), 0.2W (Off); Typical Electricity Consumption (TEC) number: 0.60 kWh/Week</p>	<p>Power Supply Type: Internal (Built-in) Universal Power Supply; Power Supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power Consumption:⁸ 100 Watts peak, 70W average (printing, max), 9.5W (idle), 4.5W (Sleep1), 0.95W (Sleep2), 0.2W (Off); Typical Electricity Consumption (TEC) number: 0.60 kWh/Week</p>	<p>Power Supply Type: Internal (Built-in) Universal Power Supply; Power Supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power Consumption:⁸ 100 Watts peak, 70W average (printing, max), 9.5W (idle), 4.5W (Sleep1), 0.95W (Sleep2), 0.2W (Off); Typical Electricity Consumption (TEC) number: 0.60 kWh/Week</p>

To learn more, visit
hp.com

¹ Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims. ² Scan time only; data transfer to CPU not included. ³ Speed specifications have been updated to reflect current industry testing methods. ⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁵ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁶ Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies. ⁷ Acoustic values are subject to change. For current information see hp.com/support. ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Sleep modes depends on customer network switch capability, user configuration and network activity. ⁹ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. ¹⁰ Google™ and Gmail are trademarks of Google Inc. Feature requires Google Cloud Print Ready printer or existing printer connected to a PC with Internet access. Print times may vary. Currently only Google apps are supported. Some HP LaserJets may require a firmware upgrade. ¹¹ Supports the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Intel, Celeron, Pentium are trademarks of Intel Corporation in the U.S. and other countries.

